





PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 101

الکتروپمپ شناور تکفاز URD ۱۰۱



ISO 9906: 2012-Grade 3B



capacity(m ³ /h) (مدتی (متر مکعب در ساعت))										Pump + Motor
	1.8	1.5	1.2	0.9	0.6	0.3	0.0			
Head(m) (ارتفاع (متر))										
	1	17	32	46	55	63	66			URD 101/10 + 4E0.371/2
	2	23	41	57	70	78	86			URD 101/13 + 4E0.371/2
	5	30	60	86	105	118	126			URD 101/19 + 4E0.551/2
	7	39	81	117	141	160	173			URD 101/26 + 4E0.751/2
	10	52	117	169	208	234	253			URD 101/38 + 4E1.11/2


WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
10.6	3.3	7.3	100	1 ¼"	98	324	349	670	3.4	0.5	0.37	URD 101/10 + 4E0.371/2
11.0	3.7	7.3	100	1 ¼"	98	377	346	723	3.4	0.5	0.37	URD 101/13 + 4E0.371/2
12.9	4.7	8.2	100	1 ¼"	98	481	365	846	4.3	0.75	0.55	URD 101/19 + 4E0.551/2
14.6	5.8	8.8	100	1 ¼"	98	642	380	1022	6	1	0.75	URD 101/26 + 4E0.751/2
19.2	9.2	10	100	1 ¼"	98	902	405	1307	8.3	1.5	1.1	URD 101/38 + 4E1.11/2




PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 102

الکتروپمپ شناور تکفاز URD ۱۰۲



ISO 9906: 2012-Grade 3B



capacity(m ³ /h) (بدهی مترمکعب در ساعت)										Pump + Motor
	3	2.7	2.4	2.1	1.8	1.5	1.2	0.9	0.0	
Head(m) (رتفاع متر)										
	16	19	23	25	27	29	31	32	34	URD 102/05 + 4E0.371/2
	22	26	29	33	36	39	42	43	46	URD 102/07 + 4E0.371/2
	28	36	43	49	54	58	61	64	67	URD 102/10 + 4E0.551/2
	42	52	60	67	74	79	83	86	92	URD 102/14 + 4E0.751/2
	60	75	90	101	111	120	127	131	139	URD 102/20 + 4E1.11/2
	86	103	124	135	146	157	168	173	184	URD 102/27 + 4E1.5 1/2



WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
9.8	2.5	7.3	100	1 ¼"	98	236	346	582	3.4	0.5	0.37	URD 102/05 + 4E0.371/2
10.1	2.8	7.3	100	1 ¼"	98	271	346	617	3.4	0.5	0.37	URD 102/07 + 4E0.371/2
11.5	3.3	8.2	100	1 ¼"	98	324	365	689	4.3	0.75	0.55	URD 102/10 + 4E0.551/2
12.7	3.9	8.8	100	1 ¼"	98	394	380	774	6	1	0.75	URD 102/14 + 4E0.751/2
14.9	4.9	10	100	1 ¼"	98	499	405	904	8.3	1.5	1.1	URD 102/20 + 4E1.1 1/2
18.4	6.6	11.8	100	1 ¼"	98	622	439	1061	10.2	2	1.5	URD 102/27 + 4E1.5 1/2



PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 103

الکتروپمپ شناور تکفاز URD ۱۰۳



n=2900 rpm

capacity(m ³ /h) (آبدهی (مترمکعب در ساعت))											Pump + Motor
4.2	3.6	3.0	2.7	2.4	2.1	1.8	1.5	1.2	0.0		
Head(m) (ارتفاع (متر))											
11	18	23	25	27	29	30	31	32	34	URD 103/05 + 4E0.371/2	
19	30	38	41	43	46	49	50	51	54	URD 103/08 + 4E0.551/2	
26	38	49	54	58	61	64	66	68	72	URD 103/11 + 4E0.751/2	
33	54	70	77	83	89	95	98	101	106	URD 103/16 + 4E1.11/2	
49	79	100	108	115	122	127	132	135	142	URD 103/21 + 4E1.51/2	
62	104	138	152	165	177	187	194	200	208	URD 103/32 + 4E2.21/2	


WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
9.8	2.5	7.3	100	1 ¼"	98	236	346	582	3.4	0.5	0.37	URD 103/05 + 4E0.371/2
11.1	2.9	8.2	100	1 ¼"	98	289	365	654	4.3	0.75	0.55	URD 103/08 + 4E0.551/2
12.2	3.4	8.8	100	1 ¼"	98	342	380	722	6	1	0.75	URD 103/11 + 4E0.751/2
14.2	4.2	10	100	1 ¼"	98	430	405	835	8.3	1.5	1.1	URD 103/16 + 4E1.11/2
16.5	5.0	11.5	100	1 ¼"	98	519	440	959	10.2	2	1.5	URD 103/21 + 4E1.51/2
22.1	8.1	14	100	1 ¼"	98	787	495	1282	14.9	3	2.2	URD 103/32 + 4E2.21/2




PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 104

الکتروپمپ شناور تکفاز URD ۱۰۴



ISO 9906: 2012-Grade 3B



n=2900 rpm

capacity(m ³ /h) (ابدهی(مترمکعب در ساعت)												Pump + Motor	
6.0	5.4	4.8	4.2	3.6	3.0	2.7	2.4	2.1	1.8	1.5	0.0		
Head(m) (ارتفاع(متر)												Pump + Motor	
3	8	13	18	21	24	25	26	27	28	29	33		
	7	15	22	28	33	36	38	39	41	42	43		46
	10	20	28	37	43	47	49	51	52	54	55		59
	20	33	47	58	68	76	79	81	83	86	87		93
	25	42	60	75	88	98	102	105	108	111	113		120
	35	61	87	109	127	141	147	152	157	161	164		175



WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
10.0	2.7	7.3	100	1 ¼"	98	257	346	603	3.4	0.5	0.37	URD 104/05 + 4E0.371/2
11.2	3.0	8.2	100	1 ¼"	98	301	365	666	4.3	0.75	0.55	URD 104/07 + 4E0.551/2
12.1	3.3	8.8	100	1 ¼"	98	344	380	724	6	1	0.75	URD 104/09 + 4E0.751/2
14.1	4.1	10	100	1 ¼"	98	452	405	857	8.3	1.5	1.1	URD 104/14 + 4E1.11/2
16.2	4.7	11.5	100	1 ¼"	98	538	440	978	10.2	2	1.5	URD 104/18 + 4E1.51/2
21.2	7.2	14	100	1 ¼"	98	805	495	1300	14.9	3	2.2	URD 104/27 + 4E2.21/2



PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 106

الکتروپمپ شناور تکفاز URD ۱۰۶



n=2900 rpm

capacity(m ³ /h) <small>آبدهی (مترمکعب در ساعت)</small>											Pump + Motor
	8.4	7.2	6	5.4	4.8	4.2	3.6	3	0.0		
Head(m) <small>(ارتفاع متر)</small>											
	11	19	25	28	30	32	34	36	42	URD 106/07 + 4E0.751/2	
	18	29	38	41	45	48	51	53	62	URD 106/10 + 4E1.11/2	
	28	46	59	63	68	71	74	77	90	URD 106/14 + 4E1.51/2	
	40	62	80	86	92	97	102	107	125	URD 106/20 + 4E2.21/2	


WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
12.5	3.7	8.8	100	2"	98	390	380	770	6	1	0.75	URD 106/07 + 4E0.751/2
14.6	4.6	10	100	2"	98	483	405	888	8.3	1.5	1.1	URD 106/10 + 4E1.11/2
17.2	5.7	11.5	100	2"	98	607	405	1012	10.2	2	1.5	URD 106/14 + 4E1.51/2
21.5	7.5	14	100	2"	98	831	495	1326	14.9	3	2.2	URD 106/20 + 4E2.21/2




PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 108

الکتروپمپ شناور تکفاز URD ۱۰۸



ISO 9906: 2012-Grade 3B



n=2900 rpm

capacity(m ³ /h) آبدهی (مترمکعب در ساعت)										Pump + Motor
12	10.8	9.6	8.4	7.2	6.0	5.4	4.8	0.0		
Head(m) ارتفاع (متر)										Pump + Motor
9	12	16	18	20	21	22	23	26	URD 108/04 + 4E0.751/2	
14	19	24	28	31	33	34	35	38	URD 108/06 + 4E1.11/2	
18	25	31	37	41	44	45	47	52	URD 108/08 + 4E1.51/2	
30	40	50	59	66	71	73	75	82	URD 108/13 + 4E2.21/2	



WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	Ø _{MAX}	Ø=D	Ø=C	B	E	L	A	HP	kW	
11.6	2.8	8.8	100	2"	98	294	380	674	6	1	0.75	URD 108/04 + 4E0.751/2
13.4	3.4	10	100	2"	98	356	405	761	8.3	1.5	1.1	URD 108/06 + 4E1.11/2
15.5	4.0	11.5	100	2"	98	418	440	858	10.2	2	1.5	URD 108/08 + 4E1.51/2
19.5	5.5	14	100	2"	98	573	495	1068	14.9	3	2.2	URD 108/13 + 4E2.21/2



PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 112

الكترومپ شناور تكفاز ١١٢ URD



n=2900 rpm

القدرة المتكيفة والحد الأقصى capacity (m ³ /h)											Pump + Motor
15.6	14.4	13.2	12	10.8	9.6	8.4	7.2	6	0.0		
الارتفاع Head (m)											Pump + Motor
10	13	16	18	20	22	23	25	26	32		
14	18	22	25	28	31	33	36	37	45		
20	26	32	36	41	44	48	52	54	64	URD 112/10 + 4E2.2 1/2	


WEIGHT(kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ØMAX	Ø=D	Ø=C	B	E	L	A	HP	kW	
14	4.4	9.6	100	2"	98	384	400	974	8.3	1.5	1.1	URD 112/05 + 4E1.1 1/2
16.8	5.3	11.5	100	2"	98	634	440	974	10.2	2	1.5	URD 112/07 + 4E1.5 1/2
20.7	6.7	14	100	2"	98	690	495	1185	14.9	3	2.2	URD 112/10 + 4E2.2 1/2




PUMPIRAN

SINGLE PHASE SUBMERSIBLE ELECTROPUMP URD 118

الکتروپمپ شناور تکفاز URD ۱۱۸



ISO 9906: 2012-Grade 3B



$n=2900$ rpm

capacity (m^3/h) آبدهی (مترمکعب در ساعت)														Pump + Motor
24	22.8	21.6	20.4	19.2	18	16.8	15.6	14.4	13.2	12	10.8	9.6	8.4	
Head (m) ارتفاع (متر)														URD 118/08 + 4E2.21/2
9	12	15	18	20	23	25	28	30	32	34	36	38	39	

WEIGHT (kg)			DIMENSIONS						In	MOTOR		Pump + Motor
TOTAL	PUMP	MOTOR	ϕMAX	$\phi = D$	$\phi = C$	B	E	L	A	HP	kW	
20.3	6.3	14	100	2"	98	676	495	1171	14.9	3	2.2	URD 118/08 + 4E2.21/2